

1 CLAIM 1 (CLEAN COPY)

2 A supplemental support system for a bridge having a deck for
3 vehicular traffic with such deck having an upper surface and a
4 lower surface, and wherein such bridge has primary support members
5 for supporting the bridge deck, said supplemental support system
6 comprising:

7 (A) a primary support member for supporting said bridge;

8 (B) a second and supplementary support member comprising
9 a longitudinally extending under-support member, said
10 under-support member having an upper surface and a
11 lower surface and wherein the upper surface of the under-
12 support member is adapted to embrace a portion of the
13 lower surface of the bridge deck;

14 (C) a suspension support system for support having one or
15 more support cables attached to portions of said under-
16 support member for purposes of holding said under-support
17 member up against the under surface of the bridge
18 deck for support purposes to supplement the support of the
19 primary support system.

20

21

22

23

24

25

1 CLAIM 2 (CLEAN COPY)

2 A support system for a bridge having a bridge deck with an under
3 surface comprising:

4 (A) a primary support system for said bridge;

5 (B) a secondary support system for said bridge comprising:

6 a base under-support member having an upper surface

7 and a lower surface.

8 (c) support system means for said bridge and bridge deck,

9 said support means having connecting means, said connect-

10 ing means being connected through said support means to

11 said under-support member up against a portion of the under

12 surface of the bridge deck.

13

14

15

16

17

18

19

20

21

22

23

24

25

1 CLAIM 3 (CLEAN COPY)

2 A multiple force support system for a bridge having a deck for
3 vehicular traffic, with such deck having an upper surface and a lower
4 surface, and wherein such bridge has primary support members for
5 supporting the bridge deck comprising:

6 (A) a supplementary support system to said primary support
7 system comprising a longitudinally extending under-support
8 member, said under-support member having an upper surface
9 and a lower surface, and wherein said under-support member
10 is adapted to be supported against a portion of the
11 lower surface of the bridge deck;

12 (B) a bridge suspension support system having support means in
13 the form of suspension cables connected to said under-
14 support member to support said under-support member up
15 against the lower surface of the bridge deck.

16

17

18

19

20

21

22

23

24